



County of Riverside  
DEPARTMENT OF ENVIRONMENTAL HEALTH

www.rivcoeh.org

SUPPLEMENTAL REPORT TO SAN. FORM #

DATE 10/19/19

SUBJECT Kentucky Fried Chicken

PERMIT NO. 57865

ADDRESS 81769 Highway 111, Indio 92201

DISTRICT 38

INSPECTOR Yvonne / Nova

REMARKS:

A complaint investigation was conducted for the overflow of grease interceptor outside of facility. The following was observed:

- Valley Sanitary District Inspector was on site.
- Grease interceptor observed to be overflowing, water spilling onto the street.
- Facility cannot use water at this time due to the overflow.
- Facility voluntarily closed. Sign posted on door.
- Spoke with both managers on-site ~~and owner~~.
- April Holgun (Area Coach) is aware of the situation.
- A plumber was called to find out where pipes are clogging.
- No sewage back up was observed inside facility.
- Ensure ALL Employees are aware of pest management procedures/practices.
- Owner of the facility must come to our office at 47958 Arablia St., Ste A Indio for an office hearing.
- Facility must remain closed until approvals from Valley Sanitary District are obtained.
- Provide pump ticket and invoice from plumber.

Contact our Department once the issue has been resolved. (760) 963-8280

RECEIVED BY:

X Crystal fern